

ERRATUM

Erratum published online: 18 June 2011

Erratum to: The *in vitro* toxicity of venoms from South Asian Hump-nosed pit vipers (Viperidae: *Hypnale*)

Kalana Maduwage^α, Wayne C Hodgson^β, Nicki Konstantakopoulos^β, Margaret A O'Leary^λ, Indika Gawarammana^φ, Geoffrey K Isbister^{β,λ,ψ,*}

^αDepartment of Biochemistry, Faculty of Medicine, University of Peradeniya, Peradeniya, Sri Lanka, ^βMonash Venom Group, Department of Pharmacology, Monash University, Victoria, 3800 Australia, ^λDepartment of Clinical Toxicology and Pharmacology, Calvary Mater Newcastle, Newcastle, New South Wales, Australia, ^φDepartment of Medicine, Faculty of Medicine, University of Peradeniya, Sri Lanka, ^ψDiscipline of Clinical Pharmacology, University of Newcastle, New South Wales, Australia

*Correspondence to: Geoffrey Isbister, Email: Geoff.isbister@gmail.com, Tel: +612 4921 1211, Fax: +612 4921 1870

Erratum

Some labels were omitted in the published Figure 1, which have been included in this erratum.

Figure 1. Reverse phase high-performance liquid chromatogram (RP-HPLC) chromatogram of (A) *H. hypnale*, (B) *H. nepa* and (C) *H. zara* using a Phenomenex Jupiter C18 column (5μ 300A 250x4.6mm) with mobile phase 15% (v/v) acetonitrile containing 0.1% (v/v) trifluoroacetic acid, increasing to 70% acetonitrile by t=100min, at a flow rate of 0.5ml/min.

